

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

## GOLD SIZE

Revision 16

Revision date 2015-07-14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name GOLD SIZE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC9a] Coatings and paints, thinners, paint removers; [AC11] Wood articles;

Description No data is available on this product.

#### 1.3. Details of the supplier of the safety data sheet

Company Fiddes & Son Ltd  
Address Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX  
Web www.fiddes.co.uk  
Telephone +44 (0)29 2034 0323  
Fax +44 (0)29 2034 3235  
Email info@fiddes.co.uk  
Email address of the competent person info@fiddes.co.uk

#### 1.4. Emergency telephone number

Emergency telephone number 1-352-323-3500  
Company INFOTRAC  
24HR

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC  
Xn; R65 R10-66-67  
Symbols: Xn: Harmful.

Main hazards Flammable. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

2.1.2. Classification - EC 1272/2008  
Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336;

#### 2.2. Label elements

Hazard pictograms



Signal Word Danger

Hazard Statement  
Flam. Liq. 3: H226 - Flammable liquid and vapour.  
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.  
STOT SE 3: H336 - May cause drowsiness or dizziness.

Precautionary Statement: Prevention  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## GOLD SIZE

Revision 16  
Revision date 2015-07-14

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P233 - Keep container tightly closed. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use foam/C02 to extinguish.
<b>Precautionary Statement: Storage</b>	P102 - Keep out of reach of children. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	Dispose of this material and its container to hazardous or special waste collection point. P501:

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		64742-48-9	919-857-5	01-2119463258-33	40 - 50%	Xn; R65 R10-66-67	
Straight run kerosine - solvent naphtha (petroleum), medium aliph.	649-405-00-X	64742-88-7	265-191-7		1 - 10%	Xn; R65	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		64742-48-9	919-857-5	01-2119463258-33	40 - 50%	EUH066; Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336;	
Straight run kerosine - solvent naphtha (petroleum), medium aliph.	649-405-00-X	64742-88-7	265-191-7		1 - 10%	Asp. Tox. 1: H304;	
Ethyl methyl ketone oxime	616-014-00-0	96-29-7	202-496-6		0 - 0.5%	Carc. 2: H351; Acute Tox. 4: H312; Eye Dam. 1: H318; Skin Sens. 1: H317;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Remove casualty from exposure ensuring one's own safety whilst doing so.
<b>Eye contact</b>	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
<b>Skin contact</b>	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
<b>Ingestion</b>	DO NOT INDUCE VOMITING.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Harmful by inhalation.
<b>Eye contact</b>	Harmful.
<b>Skin contact</b>	Harmful in contact with skin.
<b>Ingestion</b>	Harmful if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

<b>Inhalation</b>	Seek medical attention.
<b>Eye contact</b>	Seek medical attention.
<b>Skin contact</b>	Seek medical attention.
<b>Ingestion</b>	Seek medical attention.

## SECTION 5: Firefighting measures

## GOLD SIZE

Revision 16  
Revision date 2015-07-14

## 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel considerable distance to source of ignition and flash back.
--	---

## 5.2. Special hazards arising from the substance or mixture

	Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public away from danger area. Keep upwind.
--	--

## 6.2. Environmental precautions

	Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.
--	---

## 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.
--	--

## 6.4. Reference to other sections

	See section 2, 3, 8, 13 for further information.
--	--

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

## 7.2. Conditions for safe storage, including any incompatibilities

	Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperatures between 5 °C and 18 °C.
--	--

## 7.3. Specific end use(s)

	No data is available on this product.
--	---------------------------------------

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

	See section 8.2 for further information.
--	--

## 8.2. Exposure controls



## 8.2.1. Appropriate engineering controls

	Ensure adequate ventilation of the working area.
--	--

## Eye / face protection

	Wear eye/face protection.
--	---------------------------

## Skin protection - Handprotection

	Chemical resistant gloves (PVC).
--	----------------------------------

## Skin protection - Other

	Wear suitable protective clothing.
--	------------------------------------

## Respiratory protection

	Wear suitable respiratory equipment when necessary.
--	---

## 8.2.3. Environmental exposure controls

	Avoid release to the environment.
--	-----------------------------------

## SECTION 9: Physical and chemical properties

## GOLD SIZE

Revision 16

Revision date 2015-07-14

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Characteristic
pH	No data available
Melting point	No data available
Initial boiling point	No data available
Flash point	43
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.86 g/cm <sup>3</sup>

## Water solubility

	Immiscible in water.
--	----------------------

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	No data available.
--	--------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

## 10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

## 10.5. Incompatible materials

	Oxidising agents.
--	-------------------

## 10.6. Hazardous decomposition products

	Burning produces irritating, toxic and obnoxious fumes.
--	---

## SECTION 11: Toxicological information

## 11.1.4. Toxicological Information

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	Inhalation Rat LC50/8500 h: 4	Oral Rat LD50: >5000
	Dermal Rabbit LD50: >5000	

## SECTION 12: Ecological information

## 12.1. Toxicity

## GOLD SIZE

Revision 16

Revision date 2015-07-14

## 12.1. Toxicity

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	Fish LC50/96h: 1000.000000 mg/l	Algae EC50/72h: >1000
	Daphnia LC50/48h: >1000	

## 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

## 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

## Partition coefficient

	<b>GOLD SIZE</b> No data available
--	------------------------------------

## 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

## 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

## 12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------


## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

	Dispose of as special waste in compliance with local and national regulations.
--	--

## SECTION 14: Transport information

## Hazard pictograms

	
--	---

## 14.1. UN number

	UN1263
--	--------

## 14.2. UN proper shipping name

	PAINT
--	-------

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group	III
---------------	-----

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

## GOLD SIZE

Revision 16

Revision date 2015-07-14

<b>ADR/RID</b>	
Hazard ID	30
Tunnel Category	(D/E)
<b>IMDG</b>	
EmS Code	F-E S-E
<b>IATA</b>	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>Regulations</b>	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
--------------------	--

**15.2. Chemical safety assessment**

	No data is available on this product.
--	---------------------------------------

**SECTION 16: Other information****Other information**

<b>Revision</b>	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> <li>1 - Product Use.</li> <li>2 - 2.1. Classification of the substance or mixture.</li> <li>2 - 2.1.2. Classification - EC 1272/2008.</li> <li>2 - Hazard pictograms.</li> <li>2 - Signal Word.</li> <li>2 - Precautionary Statement: Prevention.</li> <li>2 - Precautionary Statement: Response.</li> <li>2 - Precautionary Statement: Storage.</li> <li>2 - Precautionary Statement: Disposal.</li> <li>9 - 9.1. Information on basic physical and chemical properties (Flash point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (PH).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Melting point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Flammability (solid, gas)).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Explosive properties).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Oxidising properties).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Relative density).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Viscosity).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Evaporation rate).</li> <li>9 - 9.1. Information on basic physical and chemical properties ( ).</li> <li>9 - 9.1. Information on basic physical and chemical properties ( ).</li> <li>9 - 9.2. Other information (Conductivity).</li> </ul>
-----------------	---

## GOLD SIZE

Revision 16

Revision date 2015-07-14

Other information	
Text of risk phrases in Section 3	9 - 9.2. Other information (Partition coefficient). 9 - 9.2. Other information (Surface tension). 9 - 9.2. Other information (Specific gravity). 12 - 12.1. Toxicity. 15 - Labelling. 15 - Risk phrases. 15 - Safety phrases.
	R10 - Flammable R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking. R67 - Vapours may cause drowsiness and dizziness.
	Text of Hazard Statements in Section 3
Text of Hazard Statements in Section 3	EUH066 - Repeated exposure may cause skin dryness or cracking. Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. STOT SE 3: H336 - May cause drowsiness or dizziness. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. Carc. 2: H351 - Suspected of causing cancer .
Product Subcategory	Interior/exterior trim varnishes and woodstains, including opaque woodstains - 400 g/l.
General information	
	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.