

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## Fiddes Nitro Stain

Revision 0

Revision date 2015-06-01

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Fiddes Nitro Stain

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC9a] Coatings and paints, thinners, paint removers; [AC11] Wood articles;

Description No data is available on this product.

#### 1.3. Details of the supplier of the safety data sheet

Company Fiddes & Son Ltd  
Address Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX  
Web [www.fiddes.co.uk](http://www.fiddes.co.uk)  
Telephone +44 (0)29 2034 0323  
Fax +44 (0)29 2034 3235  
Email [info@fiddes.co.uk](mailto:info@fiddes.co.uk)  
Email address of the competent person [info@fiddes.co.uk](mailto:info@fiddes.co.uk)

#### 1.4. Emergency telephone number

Emergency telephone number 1-352-323-3500  
Company INFOTRAC  
24HR

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 67/548/EEC Xn; R63 R10  
Symbols: Xn: Harmful.

Main hazards Flammable. Possible risk of harm to the unborn child.

2.1.2. Classification - EC 1272/2008 Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H335; STOT SE 3: H336; Aquatic Chronic 2: H411;

#### 2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Flam. Liq. 3: H226 - Flammable liquid and vapour.  
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.  
STOT SE 3: H335 - May cause respiratory irritation.  
STOT SE 3: H336 - May cause drowsiness or dizziness.  
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

## Fiddes Nitro Stain

Revision 0

Revision date 2015-06-01

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use foam/C02 to extinguish. P391 - Collect spillage.
<b>Precautionary Statement: Storage</b>	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	Dispose of this material and its container to hazardous or special waste collection point. P501 - Dispose of contents/container to

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9, aromatics			918-668-5		40 - 50%	R10	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Dipropylene glycol monomethyl ether ((2-methoxymethylethoxy) propanol)		34590-94-8			10 - 20%		
Toluene	601-021-00-3	108-88-3	203-625-9		1 - 10%	Flam. Liq. 2: H225; Repr. 2: H361d; Asp. Tox. 1: H304; STOT RE 2: H373; Skin Irrit. 2: H315; STOT SE 3: H336;	
Hydrocarbons, C9, aromatics			918-668-5		40 - 50%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H335; STOT SE 3: H336; Aquatic Chronic 2: H411;	
2-methoxy-1-methylethyl acetate (1-Methoxypropylacetate)	607-195-00-7	108-65-6	203-603-9		10 - 20%	Flam. Liq. 3: H226;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Remove casualty from exposure ensuring one's own safety whilst doing so.
<b>Eye contact</b>	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
<b>Skin contact</b>	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
<b>Ingestion</b>	DO NOT INDUCE VOMITING.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Harmful by inhalation.
-------------------	------------------------

## Fiddes Nitro Stain

Revision 0

Revision date 2015-06-01

**4.2. Most important symptoms and effects, both acute and delayed**

Eye contact	Harmful.
Skin contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.

**4.3. Indication of any immediate medical attention and special treatment needed**

Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

	Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel considerable distance to source of ignition and flash back.
--	---

**5.2. Special hazards arising from the substance or mixture**

	Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.
--	---

**5.3. Advice for firefighters**

	Wear suitable respiratory equipment when necessary.
--	---

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public away from danger area. Keep upwind.
--	--

**6.2. Environmental precautions**

	Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.
--	---

**6.3. Methods and material for containment and cleaning up**

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.
--	--

**6.4. Reference to other sections**

	See section 2, 3, 8, 13 for further information.
--	--

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

**7.2. Conditions for safe storage, including any incompatibilities**

	Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperatures between 5 °C and 18 °C.
--	--


**7.3. Specific end use(s)**

	No data is available on this product.
--	---------------------------------------

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

	See section 8.2 for further information.
--	--

**8.2. Exposure controls**

	
--	---

## Fiddes Nitro Stain

Revision 0

Revision date 2015-06-01

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
Eye / face protection	Wear eye/face protection.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
8.2.3. Environmental exposure controls	Avoid release to the environment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Various
Odour	Aromatic
Odour threshold	No data available
pH	No data available
Melting point	No data available
Initial boiling point	No data available
Flash point	40
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Immiscible in water

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	No data available.
--	--------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

## 10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

## 10.5. Incompatible materials

	Oxidising agents.
--	-------------------

## 10.6. Hazardous decomposition products

## Fiddes Nitro Stain

Revision 0

Revision date 2015-06-01

## 10.6. Hazardous decomposition products

	Burning produces irritating, toxic and obnoxious fumes.
--	---

## SECTION 11: Toxicological information

## 11.1.4. Toxicological Information

	No data available
--	-------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

	No data available
--	-------------------

## 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

## 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

## Partition coefficient

	<b>Fiddes Nitro Stain</b> No data available	<b>Hydrocarbons, C9, aromatics</b> No data available
--	---	--

## 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

## 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

## 12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

	Dispose of as special waste in compliance with local and national regulations.
--	--

## SECTION 14: Transport information

## Hazard pictograms



## 14.1. UN number

	UN1263
--	--------

## 14.2. UN proper shipping name

	PAINT
--	-------

## 14.3. Transport hazard class(es)

ADR/RID	3
---------	---

Subsidiary risk	-
-----------------	---

IMDG	3
------	---

Subsidiary risk	-
-----------------	---

IATA	3
------	---

Subsidiary risk	-
-----------------	---

## 14.4. Packing group

Packing group	III
---------------	-----

## Fiddes Nitro Stain

Revision 0

Revision date 2015-06-01

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	33
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-E
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
-------------	--

## 15.2. Chemical safety assessment

	No data is available on this product.
--	---------------------------------------

## SECTION 16: Other information

## Other information

Text of risk phrases in Section 3	R10 - Flammable
Text of Hazard Statements in Section 3	<p>Flam. Liq. 3: H226 - Flammable liquid and vapour.</p> <p>Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.</p> <p>STOT SE 3: H335 - May cause respiratory irritation.</p> <p>STOT SE 3: H336 - May cause drowsiness or dizziness.</p> <p>Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.</p>

## General information

	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.
--	--