



# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## Fiddes Nitro Stain Thinners

Revision 0

Revision date 2015-06-01

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** Fiddes Nitro Stain Thinners

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Product Use** [SU21] Consumer uses: Private households (= general public = consumers); [PC9a] Coatings and paints, thinners, paint removers; [AC11] Wood articles;

**Description** No data is available on this product.

#### 1.3. Details of the supplier of the safety data sheet

**Company** Fiddes & Son Ltd  
**Address** Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX  
**Web** www.fiddes.co.uk  
**Telephone** +44 (0)29 2034 0323  
**Fax** +44 (0)29 2034 3235  
**Email** info@fiddes.co.uk  
**Email address of the competent person** info@fiddes.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone number** 1-352-323-3500  
**Company** INFOTRAC  
24HR

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**2.1.1. Classification - 67/548/EEC** Xn; R63 R10  
Symbols: Xn: Harmful.

**Main hazards** Flammable. Possible risk of harm to the unborn child.

**2.1.2. Classification - EC 1272/2008** Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336; Aquatic Chronic 2: H411;

#### 2.2. Label elements

**Hazard pictograms**



**Signal Word** Danger

**Hazard Statement** Flam. Liq. 3: H226 - Flammable liquid and vapour.  
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.  
STOT SE 3: H336 - May cause drowsiness or dizziness.  
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

**Precautionary Statement: Prevention** P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Fiddes Nitro Stain Thinners

Revision 0

Revision date 2015-06-01

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P233 - Keep container tightly closed. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use foam/C02 to extinguish.
<b>Precautionary Statement: Storage</b>	P102 - Keep out of reach of children. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	Dispose of this material and its container to hazardous or special waste collection point.

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9, aromatics			918-668-5		40 - 50%	R10	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Toluene	601-021-00-3	108-88-3	203-625-9		1 - 10%	Flam. Liq. 2: H225; Repr. 2: H361d; Asp. Tox. 1: H304; STOT RE 2: H373; Skin Irrit. 2: H315; STOT SE 3: H336;	
Hydrocarbons, C9, aromatics			918-668-5		40 - 50%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H335; STOT SE 3: H336; Aquatic Chronic 2: H411;	
n-Butyl acetate (Butyl acetate)	607-025-00-1	123-86-4	204-658-1		1 - 10%	Flam. Liq. 3: H226; STOT SE 3: H336;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Remove casualty from exposure ensuring one's own safety whilst doing so.
<b>Eye contact</b>	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
<b>Skin contact</b>	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
<b>Ingestion</b>	DO NOT INDUCE VOMITING.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Harmful by inhalation.
<b>Eye contact</b>	Harmful.
<b>Skin contact</b>	Harmful in contact with skin.
<b>Ingestion</b>	Harmful if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

<b>Inhalation</b>	Seek medical attention.
<b>Eye contact</b>	Seek medical attention.
<b>Skin contact</b>	Seek medical attention.
<b>Ingestion</b>	Seek medical attention.

# Fiddes Nitro Stain Thinners

Revision 0

Revision date 2015-06-01

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel considerable distance to source of ignition and flash back.

### 5.2. Special hazards arising from the substance or mixture

Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public away from danger area. Keep upwind.

### 6.2. Environmental precautions

Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.

### 6.4. Reference to other sections

See section 2, 3, 8, 13 for further information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperatures between 5 °C and 18 °C.

### 7.3. Specific end use(s)

No data is available on this product.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

See section 8.2 for further information.

### 8.2. Exposure controls



#### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

#### Eye / face protection

Wear eye/face protection.

#### Skin protection - Handprotection

Chemical resistant gloves (PVC).

#### Skin protection - Other

Wear suitable protective clothing.

#### Respiratory protection

Wear suitable respiratory equipment when necessary.

#### 8.2.3. Environmental exposure controls

Avoid release to the environment.

## Fiddes Nitro Stain Thinners

Revision 0

Revision date 2015-06-01

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Liquid
<b>Colour</b>	Amber
<b>Odour</b>	Characteristic
<b>Odour threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point</b>	No data available
<b>Initial boiling point</b>	No data available
<b>Flash point</b>	43 °C
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidising properties</b>	No data available
<b>Solubility</b>	Immiscible in water

**9.2. Other information**

<b>Conductivity</b>	No data available
<b>Surface tension</b>	No data available
<b>Gas group</b>	No data available
<b>Benzene Content</b>	Not applicable.
<b>Lead content</b>	Not applicable.
<b>VOC (Volatile organic compounds)</b>	No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No data is available on this product.

**10.4. Conditions to avoid**

Heat, sparks and open flames.

**10.5. Incompatible materials**

Oxidising agents.

**10.6. Hazardous decomposition products**

Burning produces irritating, toxic and obnoxious fumes.

**SECTION 11: Toxicological information****11.1.4. Toxicological Information**

No data available

**SECTION 12: Ecological information****12.1. Toxicity**

## Fiddes Nitro Stain Thinners

Revision 0

Revision date 2015-06-01

## 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

No data is available on this product.

## 12.3. Bioaccumulative potential

No data is available on this product.

## Partition coefficient

Fiddes Nitro Stain Thinners	No data available	Hydrocarbons, C9, aromatics	No data available
-----------------------------	-------------------	-----------------------------	-------------------

## 12.4. Mobility in soil

No data is available on this product.

## 12.5. Results of PBT and vPvB assessment

No data is available on this product.

## 12.6. Other adverse effects

No data is available on this product.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Dispose of as special waste in compliance with local and national regulations.

## SECTION 14: Transport information

## Hazard pictograms



## 14.1. UN number

UN1263

## 14.2. UN proper shipping name

PAINT RELATED MATERIAL

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

## Fiddes Nitro Stain Thinners

Revision 0

Revision date 2015-06-01

<b>IMDG</b>	
<b>EmS Code</b>	F-E S-E
<b>IATA</b>	
<b>Packing Instruction (Cargo)</b>	366
<b>Maximum quantity</b>	220 L
<b>Packing Instruction (Passenger)</b>	355
<b>Maximum quantity</b>	60 L

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>Regulations</b>	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
--------------------	--

**15.2. Chemical safety assessment**

	No data is available on this product.
--	---------------------------------------

**SECTION 16: Other information****Other information**

<b>Text of risk phrases in Section 3</b>	R10 - Flammable
<b>Text of Hazard Statements in Section 3</b>	<p>Flam. Liq. 3: H226 - Flammable liquid and vapour.</p> <p>Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.</p> <p>STOT SE 3: H335 - May cause respiratory irritation.</p> <p>STOT SE 3: H336 - May cause drowsiness or dizziness.</p> <p>Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.</p>

**General information**

	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.
--	--