



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

Fiddes Supreme Liquid Floor Wax

Revision 0

Revision date 2014-11-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Fiddes Supreme Liquid Floor Wax
--------------	---------------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC31] Polishes and wax blends; [PROC10] Roller application or brushing; [AC11] Wood articles;
Description	No data is available on this product.

1.3. Details of the supplier of the safety data sheet

Company	Fiddes & Son Ltd
Address	Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX
Web	www.fiddes.co.uk
Telephone	+44 (0)29 2034 0323
Fax	+44 (0)29 2034 3235
Email	info@fiddes.co.uk
Email address of the competent person	info@fiddes.co.uk

1.4. Emergency telephone number

Emergency telephone number	1-352-323-3500
Company	INFOTRAC 24HR

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 67/548/EEC	Xn; R65 N; R51/53 R10-66-67 Symbols: Xn: Harmful. N: Dangerous for the environment.
Main hazards	Flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.
2.1.2. Classification - EC 1272/2008	EUH066; Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH066 - Repeated exposure may cause skin dryness or cracking. Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Fiddes Supreme Liquid Floor Wax

Revision 0

Revision date 2014-11-04

2.2. Label elements

Precautionary Statement: Prevention	P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P233 - Keep container tightly closed. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use foam/CO2 for extinction.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
Precautionary Statement: Disposal	Dispose of this material and its container to hazardous or special waste collection point. P501

SECTION 3: Composition/information on ingredients

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
low boiling point naptha		64742-48-9		01-2119463258-33	30 - 40%	Xn; R65 R10-66
Hydrocarbons C7-C9, n-alkanes, isoalkanes, cylics		64742-49-0	920-750-0	01-2119473851-33	30 - 40%	F; R11 Xn; R65 N; R51/53 R66-67

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
low boiling point naptha		64742-48-9		01-2119463258-33	30 - 40%	
Hydrocarbons C7-C9, n-alkanes, isoalkanes, cylics		64742-49-0	920-750-0	01-2119473851-33	30 - 40%	Flam. Liq. 2: H225; Asp. Tox. 1: H304; Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Chronic 2: H411;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation.
Eye contact	Harmful.
Skin contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel
--	---

Fiddes Supreme Liquid Floor Wax

Revision 0

Revision date 2014-11-04

5.1. Extinguishing media

considerable distance to source of ignition and flash back.

5.2. Special hazards arising from the substance or mixture

Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public away from danger area. Keep upwind.

6.2. Environmental precautions

Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.

6.4. Reference to other sections

See section 2, 3, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperatures between 5 °C and 18 °C.

7.3. Specific end use(s)

No data is available on this product.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

See section 8.2 for further information.

8.2. Exposure controls



8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

Eye / face protection

Wear eye/face protection.

Skin protection - Handprotection

Chemical resistant gloves (PVC).

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

Wear suitable respiratory equipment when necessary.

8.2.3. Environmental exposure controls

Avoid release to the environment.

Occupational exposure controls

Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects.

SECTION 9: Physical and chemical properties

Fiddes Supreme Liquid Floor Wax

Revision 0

Revision date 2014-11-04

9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Cream
Odour	Characteristic
pH	No data available
Melting point	> 40 °C
Boiling point	No data available
Flash point	23
Evaporation rate	No data available
Flammability limits	No data available
Vapour Flammability	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive	No data available
Oxidising	No data available
Solubility	Immiscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

	No data available.
--	--------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

10.5. Incompatible materials

	Oxidising agents.
--	-------------------

10.6. Hazardous decomposition products

	Burning produces irritating, toxic and obnoxious fumes.
--	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.

11.1.4. Toxicological Information

	No data available
--	-------------------

11.1.7. Information on likely routes of exposure

	Inhalation. Skin contact.
--	---------------------------

SECTION 12: Ecological information

Fiddes Supreme Liquid Floor Wax

Revision 0

Revision date 2014-11-04

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data is available on this product.

12.3. Bioaccumulative potential

No data is available on this product.

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of as special waste in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1263

14.2. UN proper shipping name

PAINT

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group	III
---------------	-----

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-E
----------	---------

IATA

Packing Instruction (Cargo)	366
-----------------------------	-----

Fiddes Supreme Liquid Floor Wax

Revision 0

Revision date 2014-11-04

IATA	
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
15.2. Chemical safety assessment	
	No data is available on this product.
SECTION 16: Other information	
Other information	
Text of risk phrases in Section 3	<p>R10 - Flammable</p> <p>R11 - Highly flammable.</p> <p>R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> <p>R65 - Harmful: may cause lung damage if swallowed.</p> <p>R66 - Repeated exposure may cause skin dryness or cracking.</p> <p>R67 - Vapours may cause drowsiness and dizziness.</p>
Text of Hazard Statements in Section 3	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.</p> <p>Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>STOT SE 3: H336 - May cause drowsiness or dizziness.</p> <p>Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.</p>
General information	
	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.