

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Page 1/7

Fiddes Supreme Wax

 Revision
 10

 Revision date
 2015-07-07

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Fiddes Supreme Wax
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC31] Polishes and wax blends; [AC11] Wood articles;
Description	No data is available on this product.
1.3. Details of the supplier of th	e safety data sheet
Company	Fiddes & Son Ltd
Address	Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX
Web	www.fiddes.co.uk
Telephone	+44 (0)29 2034 0323
Fax	+44 (0)29 2034 3235
Email	info@fiddes.co.uk
Email address of the	info@fiddes.co.uk
competent person	
1.4. Emergency telephone num	ber
Emergency telephone number	1-352-323-3500
Company	INFOTRAC
	24HR
SECTION 2: Hazards identif	ication
2.1. Classification of the substa	nce or mixture
2.1.1. Classification -	F; R11 Xn; R65 N; R51/53 R66-67
67/548/EEC	Symbols: F: Highly flammable. Xn: Harmful. N: Dangerous for the environment.
Main hazards	Highly flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin
	dryness or cracking. Vapours may cause drowsiness and dizziness.
2.1.2. Classification - EC 1272/2008	EUH066; Flam. Liq. 2: H225; Flam. Sol. 1: H228; STOT SE 3: H336; Aquatic Chronic 2: H411;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH066 - Repeated exposure may cause skin dryness or cracking. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Flam. Sol. 1: H228 - Flammable solid. STOT SE 3: H336 - May cause drowsiness or dizziness.
	I



Revision 10

Revision date 2015-07-07

2.2. Label elements	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Prevention	smoking.
	P233 - Keep container tightly closed.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P331 - Do NOT induce vomiting.
	P370+P378 - In case of fire: Use foam/C02 to extinguish.
Precautionary Statement:	P102 - Keep out of reach of children.
Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
Precautionary Statement:	Dispose of this material and its container to hazardous or special waste collection point.
Disposal	

SECTION 3: Composition/information on ingredients

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons C7-C9, n-alkanes, isoalkanes, cylics		64742-49-0	920-750-0	01-2119473851-33	70 - 80%	F; R11 Xn; R65 N; R51/53 R66-67	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons C7-C9, n-alkanes, isoalkanes, cylics		64742-49-0	920-750-0	01-2119473851-33	70 - 80%	Flam. Liq. 2: H225; Asp. Tox. 1: H304; Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Chronic 2: H411;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	Harmful by inhalation.
Eye contact	Harmful.
Skin contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.



SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel considerable distance to source of ignition and flash back.
5.2. Special hazards arising from	
	Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental relea	
	ective equipment and emergency procedures
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public away from danger area. Keep upwind.
6.2. Environmental precautions	
	Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.
6.4. Reference to other sections	3
	See section 2, 3, 8, 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	-
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage	, including any incompatibilities
	Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperatures between 5 °C and 18 °C.
7.3. Specific end use(s)	
	No data is available on this product.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	
	See section 8.2 for further information.
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
Eye / face protection	Wear eye/face protection.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
8.2.3. Environmental	Avoid release to the environment.

exposure controls



Revision 10

Revision date 2015-07-07

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

A	Deste
Appearance	Paste
Odour	Characteristic
pH	Not applicable.
Melting point	> 50
Initial boiling point	No data available
Flash point	14 °C
Evaporation rate	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	Not applicable.
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Flammability (solid, gas)	No data available
Solubility	Immiscible in water

9.2. Other information

Conductivity	Not applicable.
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	642
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity

	No data available.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous re	actions
	No data is available on this product.
10.4. Conditions to avoid	
	Heat, sparks and open flames.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition	l products
	Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological i	nformation
11.1. Information on toxicologic	al effects
Acute toxicity	Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	MAY CAUSE EYE IRRITATION.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.

10	rision	Rev
2045 07 07	ملمام	

	Revision date 2015-
11.1. Information on toxicolog	gical effects
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
11.1.4. Toxicological Informat	tion
	No data available
SECTION 12: Ecological ir	nformation
12.1. Toxicity	
	No data available
12.2. Persistence and degrad	Jability
	No data is available on this product.
12.3. Bioaccumulative potenti	
•	
	No data is available on this product.
Partition coefficient	
	Fiddes Supreme Wax Not applicable. Hydrocarbons C7-C9, n-alkanes, No data availa
	isoalkanes, cylics
12.4. Mobility in soil	
·	No data is available on this product.
12.5. Results of PBT and vPv	
	No data is available on this product.
12.6. Other adverse effects	No data is available on this product.
	No data is available on this product.
SECTION 13: Disposal con	
13.1. Waste treatment metho	ds
	Dispose of as special waste in compliance with local and national regulations.
SECTION 14: Transport in	formation
Hazard pictograms	
14.1. UN number	
	UN1263
14.2. UN proper shipping nan	ne
	PAINT
14.3. Transport hazard class((es)
ADR/RID	3
Subsidiary risk	
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group



14.4. Packing group		
Packing group	Ш	
14.5. Environmental hazards		
Environmental hazards	Yes	
Marine pollutant	Yes	
ADR/RID		
Hazard ID	33	
Tunnel Category	(D/E)	
IMDG		
EmS Code	F-E S-E	
IATA		
Packing Instruction (Cargo)	364	
Maximum quantity	60 L	
Packing Instruction	353	
(Passenger)		
Maximum quantity	5 L	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC, 93/67/EEC, 93/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
	93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information Other information Revision This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 9 - 9.1. Information on basic physical and chemical properties (Flash point). 14 - IMDG. Text of risk phrases in R11 - Highly flammable. Section 3 R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking. R67 - Vapours may cause drowsiness and dizziness. Text of Hazard Statements in Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Section 3 Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Skin Irrit. 2: H315 - Causes skin irritation.



 Revision
 10

 Revision date
 2015-07-07

Other information		
	STOT SE 3: H336 - May cause drowsiness or dizziness.	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.	
Maximum content of VOC	642.	
General information		
	This information is correct to the best of our knowledge and belief at the date of publication	
	however no guarantee is made to its accuracy.	

