



# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

## Fiddes Furniture Reviver

Revision 1

Revision date 2015-10-14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Fiddes Furniture Reviver

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC9a] Coatings and paints, thinners, paint removers; [AC11] Wood articles;

Description No data is available on this product.

#### 1.3. Details of the supplier of the safety data sheet

Company Fiddes & Son Ltd  
Address Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX  
Web www.fiddes.co.uk  
Telephone +44 (0)29 2034 0323  
Fax +44 (0)29 2034 3235  
Email info@fiddes.co.uk  
Email address of the competent person info@fiddes.co.uk

#### 1.4. Emergency telephone number

Emergency telephone number 1-352-323-3500  
Company INFOTRAC  
24HR

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC  
Xn; R20/21/22-65 Xi; R36/38-43 N; R51/53 R10  
Symbols: Xn: Harmful. N: Dangerous for the environment.

Main hazards Flammable. Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.

2.1.2. Classification - EC 1272/2008  
Flam. Liq. 3: H226; Acute Tox. 4: H302; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Acute Tox. 4: H332; Aquatic Chronic 2: H411;

#### 2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Flam. Liq. 3: H226 - Flammable liquid and vapour.  
Acute Tox. 4: H302 - Harmful if swallowed.  
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.  
Skin Irrit. 2: H315 - Causes skin irritation.

## Fiddes Furniture Reviver

Revision 1

Revision date 2015-10-14

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H332 - Harmful if inhaled. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor / . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use foam/CO2 to extinguish.
<b>Precautionary Statement: Storage</b>	P102 - Keep out of reach of children. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	Dispose of this material and its container to hazardous or special waste collection point.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Ethanol	603-002-00-5	64-17-5	200-578-6		30 - 40%	F; R11	
Turpentine, oil (Turpentine)	650-002-00-6	8006-64-2	232-350-7		30 - 40%	R10 Xn; R20/21/22-65 Xi; R36/38 R43 N; R51/53	
Acetic acid ...% (Acetic acid)	607-002-00-6	64-19-7	200-580-7		1 - 10%	R10 C; R35	
2-Dimethylaminoethanol	603-047-00-0	108-01-0	203-542-8		1 - 10%	R10 Xn; R20/21/22 C; R34	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Ethanol	603-002-00-5	64-17-5	200-578-6		30 - 40%	Flam. Liq. 2: H225;	
Turpentine, oil (Turpentine)	650-002-00-6	8006-64-2	232-350-7		30 - 40%	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411;	
Acetic acid ...% (Acetic acid)	607-002-00-6	64-19-7	200-580-7		1 - 10%	Flam. Liq. 3: H226; Skin Corr. 1A: H314;	
2-Dimethylaminoethanol	603-047-00-0	108-01-0	203-542-8		1 - 10%	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Remove casualty from exposure ensuring one's own safety whilst doing so.
<b>Eye contact</b>	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.

# Fiddes Furniture Reviver

Revision 1  
Revision date 2015-10-14

## 4.1. Description of first aid measures

Skin contact	Wash with soap and water.
Ingestion	DO NOT INDUCE VOMITING.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation.
Eye contact	Harmful.
Skin contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	-------------------------------------------------------------------------

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---------------------------------------------------------

### 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	-----------------------------------------------------

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.
--	------------------------------------------------------------------------------------

### 6.2. Environmental precautions

	Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.
--	---------------------------------------------------------------------------------------------------------------------------

### 6.3. Methods and material for containment and cleaning up

	For small quantities: Clean area thoroughly with detergent.
--	-------------------------------------------------------------

### 6.4. Reference to other sections

	See section 2, 3, 8, 13 for further information.
--	--------------------------------------------------

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	-----------------------------------------------------------------------------------

### 7.2. Conditions for safe storage, including any incompatibilities

	Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperatures between 5 °C and 18 °C.
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------

### 7.3. Specific end use(s)

	No data is available on this product.
--	---------------------------------------

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

	See section 8.2 for further information.
--	------------------------------------------

#### 8.1.1. Exposure Limit Values

## Fiddes Furniture Reviver



Revision 1

Revision date 2015-10-14

## 8.1.1. Exposure Limit Values

2-Dimethylaminoethanol	WEL 8-hr limit ppm: 2 WEL 15 min limit ppm: 6 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 7.4 WEL 15 min limit mg/m3: 22 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Acetic acid ...% (Acetic acid)	DIR: 91/322 8hTWA mg/m3: 25 STEL mg/m3: -	8hTWA ppm: 10 STEL ppm: - NOT: -
Ethanol	WEL 8-hr limit ppm: 1000 WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 1920 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Turpentine, oil (Turpentine)	WEL 8-hr limit ppm: 100 WEL 15 min limit ppm: 150 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 566 WEL 15 min limit mg/m3: 850 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

## 8.2. Exposure controls

	 
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
Eye / face protection	Wear eye/face protection.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
8.2.3. Environmental exposure controls	Avoid release to the environment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Ammoniacal
pH	No data available
Flash point	24 °C
Flammability (solid, gas)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Slightly miscible in water

## 9.2. Other information

## Fiddes Furniture Reviver

Revision 1  
Revision date 2015-10-14

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available

**SECTION 10: Stability and reactivity**

## 10.1. Reactivity

	No data available.
--	--------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

## 10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

## 10.5. Incompatible materials

	Oxidising agents.
--	-------------------

## 10.6. Hazardous decomposition products

	Burning produces irritating, toxic and obnoxious fumes.
--	---------------------------------------------------------

**SECTION 11: Toxicological information**

## 11.1.4. Toxicological Information

	No data available
--	-------------------

**SECTION 12: Ecological information**

## 12.1. Toxicity

	No data available
--	-------------------

## 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

## 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

## Partition coefficient

	<b>Fiddes Furniture Reviver</b> No data available
--	---------------------------------------------------

## 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

## 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

## 12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

**SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

	Dispose of as special waste in compliance with local and national regulations.
--	--------------------------------------------------------------------------------

## Disposal of packaging

	After final product withdrawal, all residues must be removed from containers (drip-free, powder-free or paste-free). Empty containers can be sent for disposal or recycling.
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**SECTION 14: Transport information**

## Fiddes Furniture Reviver

Revision 1

Revision date 2015-10-14

## Hazard pictograms



## 14.1. UN number

UN1263

## 14.2. UN proper shipping name

PAINT

## 14.3. Transport hazard class(es)

ADR/RID 3

Subsidiary risk -

IMDG 3

Subsidiary risk -

IATA 3

Subsidiary risk -

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards Yes

Marine pollutant Yes

## ADR/RID

Hazard ID 33

Tunnel Category (D/E)

## IMDG

EmS Code F-E S-E

## IATA

Packing Instruction (Cargo) 366

Maximum quantity 220 L

Packing Instruction (Passenger) 355

Maximum quantity 60 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

## 15.2. Chemical safety assessment

No data is available on this product.

## Fiddes Furniture Reviver

Revision 1

Revision date 2015-10-14

**SECTION 16: Other information****Other information**

<b>Revision</b>	This document differs from the previous version in the following areas: 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 14 - IMDG.
<b>Text of risk phrases in Section 3</b>	R10 - Flammable R11 - Highly flammable. R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed. R34 - Causes burns. R35 - Causes severe burns. R36/38 - Irritating to eyes and skin. R43 - May cause sensitisation by skin contact. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed.
<b>Text of Hazard Statements in Section 3</b>	Flam. Liq. 3: H226 - Flammable liquid and vapour. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Acute Tox. 4: H332 - Harmful if inhaled.
<b>General information</b>	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.